## GenFlex Roofing Systems, LLC Material Safety Data Sheet

Page: 1

January 30, 2012

SE Product Name: Chemical Name / Synonym: Chemical Family: 24-Hour Emergency Phone: Manufacturer's Name: Manufacturer's Address: NFPA Hazard Rating: HMIS Hazard Rating:	GenPocke None Mixture (800) 424- Firestone B 250 West 9	9300 CHEMTI Building Produ	REC		
Chemical Name / Synonym: Chemical Family: 24-Hour Emergency Phone: Manufacturer's Name: Manufacturer's Address: NFPA Hazard Rating:	None Mixture (800) 424- Firestone I 250 West 9	9300 CHEMTI Building Produ			
Chemical Family: 24-Hour Emergency Phone: Manufacturer's Name: Manufacturer's Address: NFPA Hazard Rating:	Mixture (800) 424- Firestone I 250 West 9	Building Produ			
24-Hour Emergency Phone: Manufacturer's Name: Manufacturer's Address: NFPA Hazard Rating:	(800) 424- Firestone I 250 West 9	Building Produ			
Manufacturer's Name: Manufacturer's Address: NFPA Hazard Rating:	Firestone I 250 West	Building Produ			
Manufacturer's Address: NFPA Hazard Rating:	250 West	-	cts Company, LL		
NFPA Hazard Rating:		96th Street Inc	Firestone Building Products Company, LLC		
-	Health 1 F	250 West 96 <sup>th</sup> Street, Indianapolis, IN 46260			
HMIS Hazard Rating:	Health 1, Flammability 1, Reactivity 0				
	Health 0, F	Health 0, Flammability 1, Reactivity 0			
This MSDS applies to kit contents non-hazardous.	GenPocket E	E and Peel & S	itick EPDM Flash	ning, both classified	
SE	CTION 2: C	HEMICAL CO	MPOSITION		
	Common				
Chemical Name:	Name:	CAS #:	% (by wt)	Exposure Limits:	
Nonhazardous as per 29 CFR 1910.1200	None	None	100	None Established	
SE	ECTION 3: H	AZARD IDEN	TIFICATION		
Primary Route of Exposure:	Eye contact				
Signs and Symptoms of Exposure:	Contact with eye may result in irritation, redness, tearing and blurred vision.				
Medical Conditions Aggravated by Exposure:	None Know	wn.			
Chronic Effects:	No Known	Adverse Effec	cts.		
Carcinogenicity:	None.				
	SECTION 4:	FIRST AID MI	EASURES		
First Aid Procedures:	frequently	Treat as a foreign object in eye. Flush large amounts of water, frequently flushing under the lids. Get medical attention if irritation persists.			
SEC	TION 5: FIRE	E FIGHTING F	ROCEDURES		
Suitable Extinguishing Media:	Foam, wat	er, dry chemic	al, or carbon dio:	xide.	
Hazardous Combustion Products:		Carbon dioxide and carbon monoxide, oxides of nitrogen, sulfur dioxide, partially burned carbon.			
Decembra and a Live Fighting	Treat as a Class "B" fire. Limit fire fighting to those trained to do so. Minimize breathing gases, vapor, fumes, or decomposition products. Use supplied air respirator for enclosed or confined spaces or as otherwise needed.				
Recommended Fire Fighting Procedures:	decompos	ition products.	Use supplied ai	r respirator for	

## GenFlex Roofing Systems, LLC Material Safety Data Sheet

January 30, 2012	,		Page: 2			
	N 6: PRECAUTIONS FOR	SAFE HANDLING AND USE	Tage. 2			
Steps to Be Taken in Case Material is Released or Spille	Not applicable. Soli	Not applicable. Solid sheet.				
Precautions to Be Taken in Handling and Storing:		Do not store or handle at temperatures in excess of 130°F. Store in a cool, dry area.				
SECTION	7: EXPOSURE CONTROLS	S / PERSONAL PROTECTION				
Ventilation:	No special ventilatio	n requirements.				
Respiratory Protection:	None required					
Eye Protection:		Safety glasses with side shields may be necessary when handling, cutting or applying this product.				
Skin Protection:	None required.					
Other:	None required.	•				
Work / Hygienic Practices:	Wash exposed skin	Wash exposed skin prior to eating, drinking or smoking and at the end of each work shift. Wash contaminated clothing prior to				
SEC	TION 8: PHYSICAL AND C	HEMICAL PROPERTIES				
Appearance and Odor:	Tacky black solid with rub	ber odor.				
Flash Point:	>200°C	Lower Explosive Limit:	None			
Method Used:	Estimate based on the flash point of the most volatile component.	Upper Explosive Limit:	None			
Evaporation Rate:	Not Applicable	Boiling Point:	None			
pH (undiluted product):	Not Applicable	Melting Point:	Unknown			
Solubility in Water:	None	Specific Gravity:	0.97 (Water=1)			
Vapor Density:	Not Applicable	Percent Volatile:	0.7% Maximum			
Vapor Pressure:	Not Applicable					
	SECTION 9: STABILITY	AND REACTIVITY				
Thermal Stability:	Stable					
Hazardous Polymerization:	Will not occur.	Will not occur.				
Conditions to Avoid:	Exposure to temper	ature in excess of 130°F.				
	SECTION 10: TRANS	SPORTATION				
Regulatory Agency:	Not Regulated					
	Not Applicable	-				
Proper Snipping Name:						
	Not Applicable					
Hazard Classification:	Not Applicable Not Applicable					
Proper Shipping Name: Hazard Classification: Identification Number: Labels Required:	••					

## GenFlex Roofing Systems, LLC Material Safety Data Sheet

January 30, 2012	Page: 3
SECTIO	ON 11: MISCELLANEOUS INFORMATION
Additional Comments:	This product is considered to be a finished article as per 29 CFR 1910.1200(C) and is therefore, exempt from the requirements of the Hazard Communication standard.
Date of Previous MSDS:	March 11, 2009
Changes Since Previous MSDS:	None. Review only.
Telephone Number for Additional Information:	(317) 575-7190

## DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.