

# Product Data Sheet



## GenFast™ 1 1/4" Zinc Masonry Fasteners

Item Description	Item Number
1 1/4"	W590051004
*1000 per carton	

### Description

GenFlex GenFast Zinc Masonry Fasteners are designed to attach termination bar to concrete or masonry walls. GenFast Zinc Masonry Fasteners have a one-piece expansion body and drive pin.

### Method of Application

1. Please consult current GenFlex Technical Specifications and details for specific applications. Not for use with GenFast Polymer Batten Strip or the attachment of any GenFlex insulation products.
2. Substrates must be clean, dry, smooth and free of sharp edges, and loose or foreign materials which may damage the flashing.
3. All roughen surfaces should be made smooth or acceptable to receive the membrane without causing damage.
4. Pre-drill a hole in the substrate with a 1/4" (6.4 mm) diameter masonry drill bit. Please note that drill bits are not included with the fasteners. The depth of the hole shall be 1/4" (6.4 mm) deeper than the length of the anchor, or 1 1/2" (38.1 mm) deep.
5. Insert the anchor through the roofing components and into the pre-drilled hole. With the assembly of components fitted tightly against the substrate, hammer the drive pin into the anchor expanding the body. This expansion will cause a compression fit within the pre-drilled hole.

### Storage

- Fasteners should be protected from moisture and kept dry at all times.
- If stored outdoors, place on skids in a dry area and cover with a breathable tarp.

### Precautions

- Eye protection is recommended when pre-drilling and during installation of the GenFast Zinc Masonry Anchor.
- Refer to Safety Data Sheets (SDS) for additional safety information.

## LEED® Information

Post-Consumer Recycled Content: 0%

Post Industrial Recycled Content: 21%

NOTE: LEED® is a registered trademark of the U.S. Green Building Council



Typical Properties	
Property	Typical Value
Material	Zinc Plated Steel
Drive Pin	Carbon Alloy
Diameter	¼" (6.4 mm)
Length	1¼" (31 mm)

Please contact Amrize Technical Services at 800-428-4511 for further information.

This sheet is meant to highlight GenFlex products and specifications and is subject to change without notice. Amrize takes responsibility for furnishing quality materials that meet published GenFlex product specifications or other technical documents, subject to normal manufacturing tolerances. Neither Amrize nor its representatives practice architecture. Amrize offers no opinion on and expressly refuses any responsibility for the soundness of any structure. Amrize accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Amrize representative is authorized to vary this disclaimer.