


Product Data Sheet



GenFast Lite Deck Plate

Item Description	Item Number
3" (76.2 mm) Galvalume® Coated Steel Plate	W590055006

Description

Lite Deck Plates are made of Galvalume coated steel. The round design provides an even distribution of loads and eliminates sharp corners that can damage the insulation or membrane. The Lite Deck Plates are designed to be used with Lite Deck Fasteners for insulation attachment into lightweight concrete, cementitious wood fiber and gypsum roof decks.

Method of Application

1. Position insulation plates over insulation as specified by GenFlex Specifications.
2. Attach plates to roof deck using Lite Deck Fasteners.

Storage

- Plates should be protected from moisture and kept dry at all times.
- If stored outdoors, place on skids in dry area and cover with a breathable tarp.
- Store in original containers only.

Precautions

- Do not over/under drive fasteners.
- Refer to Safety Data Sheets (SDS) for additional safety information.

LEED® Information

Post-Consumer Recycled Content: 25%
 Manufacturing Location: Addison, Illinois
 NOTE: LEED® is a registered trademark of the U.S. Green Building Council

TYPICAL PROPERTIES

Property	Test Method
Coating	AX55 Corrosion Resistant Coating - Galvalume
Size	3" (76.2 mm)
Package Quantity per Carton	500
Weight lb (kg)	19 (8.62)

Please contact Amrize Technical Services at 800-428-4511 for further information.

This sheet is meant to highlight GenFlex products and specifications and is subject to change without notice. Amrize takes responsibility for furnishing quality materials that meet published GenFlex product specifications or other technical documents, subject to normal manufacturing tolerances. Neither Amrize nor its representatives practice architecture. Amrize offers no opinion on and expressly refuses any responsibility for the soundness of any structure. Amrize accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Amrize representative is authorized to vary this disclaimer.