

**WARRANTY MEMBRANE REQUIREMENTS:**

**15-YEAR**


TPO - 45 MIL

**20-YEAR**

TPO - 60 MIL

**NOTE:**

1. REFER TO THE GENFLEX™ WEBSITE FOR MOST CURRENT INFORMATION.
2. REFER TO DETAIL EZT-LS-01 OR EZT-LS-02 FOR WELD WIDTH.
3. T-JOINT COVER REQUIRED FOR 60 MIL MEMBRANE OR GREATER.
4. EZ TPO FLASHING (UNSUPPORTED) (4" x 4" (101.6 mm x 101.6 mm) MIN. WITH ROUNDED CORNERS) MAY BE USED IN LIEU OF T-JOINT COVER.
5. WHEN REINFORCEMENT OF TPO MEMBRANE IS EXPOSED, REFER TO EZT-LS-14 FOR CUT EDGE SEALANT APPLICATION.



**LAP SPLICE WITH HEADLAP UNDER FIELD SEAM  
USING WELDED T-JOINT COVER**

MATERIAL: EZ TPO

ACCEPTABLE SYSTEMS: ALL

MAXIMUM WARRANTY: 20 Years

ISSUE / REVISION  
DATE:

04/20/2026

DETAIL NO.

**EZT-LS-06**

GENFLEX: (800) 443-4272 www.genflex.com

NOT TO SCALE