

GenFlex Roofing Systems, LLC

Material Safety Data Sheet

September 20, 2010

Page: 1

SECTION 1: PRODUCT IDENTIFICATION

Product Name: GenFast™ Bar Anchor
Chemical Name / Synonym: None
Chemical Family: Metal mixture
24-Hour Emergency Phone: (800) 424-9300 CHEMTREC
Manufacturer's Name: GenFlex Roofing Systems, LLC
Manufacturer's Address: 250 West 96th Street, Indianapolis, IN 46260
NFPA Hazard Rating: Health 0, Flammability 0, Reactivity 0
HMIS Hazard Rating: Health 0, Flammability 0, Reactivity 0

SECTION 2: CHEMICAL COMPOSITION

Chemical Name:	Common Name:	CAS #:	% (by wt)	Exposure Limits:
Nonhazardous as per 29 CFR 1910.1200.	None	None	100	None Established

SECTION 3: HAZARD IDENTIFICATION

Primary Route of Exposure: None
Signs and Symptoms of Exposure: No known adverse effects.
Medical Conditions Aggravated by Exposure: None known.
Chronic Effects: No known adverse effects.
Carcinogenicity: None

SECTION 4: FIRST AID MEASURES

First Aid Procedures: No special action necessary.

SECTION 5: FIRE FIGHTING PROCEDURES

Suitable Extinguishing Media: Not expected to burn. Use suitable extinguishing media for surrounding conditions, materials.
Hazardous Combustion Products: Metal oxides at extremely high temperatures (causing metal products to melt).
Recommended Fire Fighting Procedures: Wear typical/normal impermeable protective clothing and self-contained breathing apparatus.
Unusual Fire and Explosion Hazards: None known.

GenFlex Roofing Systems, LLC

Material Safety Data Sheet

September 20, 2010

Page: 2

SECTION 6: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled:	Pick up pieces and dispose as non-regulated construction waste.
Precautions to Be Taken in Handling and Storing:	None known.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation:	None.
Respiratory Protection:	None.
Eye Protection:	Safety glasses with side shields may be necessary where activities may cause material to become airborne.
Skin Protection:	None.
Other:	None.
Work / Hygienic Practices:	Wash exposed skin prior to eating, drinking or smoking and at the end of each shift.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Metal pieces of various shapes/configurations. No odor.		
Flash Point:	Unknown	Lower Explosive Limit:	Not Applicable
Method Used:	Not Applicable	Upper Explosive Limit:	Not Applicable
Evaporation Rate:	Not Applicable	Boiling Point:	None
pH (undiluted product):	Not Applicable	Melting Point:	Unknown
Solubility in Water:	Insoluble	Specific Gravity:	Unknown
Vapor Density:	Not Applicable	Percent Volatile:	Not Applicable
Vapor Pressure:	Not Applicable		

SECTION 9: STABILITY AND REACTIVITY

Thermal Stability:	Stable
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	None known.

SECTION 10: TRANSPORTATION

Regulatory Agency:	Not Regulated
Proper Shipping Name:	Not Applicable
Hazard Classification:	Not Applicable
Identification Number:	Not Applicable
Labels Required:	Not Applicable
Other Requirements:	Not Applicable

SECTION 11: MISCELLANEOUS INFORMATION

GenFlex Roofing Systems, LLC

Material Safety Data Sheet

September 20, 2010

Page: 3

Additional Comments:	This product is considered to be a finished article as per 29 CFR 1910.1200 (C) and is, therefore, exempt from the requirements of the Hazard Communication standard.
Date of Previous MSDS:	March 11, 2009
Changes Since Previous MSDS:	Format change
Telephone Number for Additional Information:	(317) 575-7190

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. GenFlex Roofing Systems, LLC, a subsidiary of Firestone Diversified Products, LLC, assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, GenFlex Roofing Systems, LLC assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.